Instrument Type Stock Count

ROYAL THEATRE
805 Broughton St.
Victoria, BC V8W 1E5
(250) 361-0800

REVISION: 1
Technical Director: Warren Busby
Paperwork By: Cameron Stewart

INSTRUMENT TYPE STOCK COUNT

	In Stock	In Use	Remaining	Short
ETC SOURCE FOUR FIXTURES (STANDARD BARREL)	**194**	**79**	**115**	
ETC SOURCE FOUR-5°	24	20	4	
ETC SOURCE FOUR-10°	26	22	4	
ETC SOURCE FOUR-14°	6	6		
ETC SOURCE FOUR-19°	10	2	8	
ETC SOURCE FOUR-26°	62	16	46	12 x Units short-yoked on circle rail
ETC SOURCE FOUR-36°	42	13	29	
ETC SOURCE FOUR-50°	16		16	
ETC SOURCE FOUR FIXTURES (ZOOM BARREL ASSEMBLY)	**24**	**24**		
ETC SOURCE FOUR-ZOOM 25°-50°	8	8		
ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50°	8	8		
ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50°	8	8		
ETC SOURCE FOUR PAR FIXTURE	**50**	**36**	**14**	
ETC SOURCE 4WRD LED PAR-XWFL	4	4		WORK LIGHTS
ETC SOURCE FOUR PAR-MFL	8	8		
ETC SOURCE FOUR PAR-WFL	38	24	14	

Instrument Type Stock Count

ROYAL THEATRE

	In Stock	In Use	Remaining	Short
FRESNELS	**29**	**9**	**20**	
ETC COLORSOURCE V MAX FRESNEL	9	9		
ETC COLORSOURCE V MAX FRESNEL (SPARE ONLY)	1		1	SPARE ONLY
SELECON 7" FRESNEL	20		20	RETIRED. Please Contact.
TUNGSTEN AUTOMATED FIXTURES	**13**	**5**	**8**	
VARILITE VL 1000TS	5	5		
VARILITE VL 1000TS (SPARE UNIT)	1		1	SPARE ONLY
VARILITE VL 500 WASH	8		8	RETIRED. Please Contact.
VARILITE VL 500 WASH (SPARE UNIT)	1		1	RETIRED. Please Contact.
OTHER	**22**	**2**	**20**	
PROCAN PAR 20	8		8	
ALTMAN ZIP STRIP	6		6	RETIRED. Please Contact.
ALTMAN SKY CYC	6		6	RETIRED. Please Contact.
LYCIAN SUPERARC 400 (1267 Long-Throw)	2	2		
ARCHITECTURE UNITS	**14**	**12**	**2**	
CHROMA-Q COLOR ONE 100 RGBA	8	8		ARCH UNITS

Instrument Type Stock Count

ROYAL THEATRE

	In Stock	In Use	Remaining	Short	
CHROMA-Q COLOR ONE 100 RGBA (SPARE UNITS)	2		2		SPARE ONLY
ETC Source 4WRD Color II RGBA LED-19° - ARCH	4	4			ARCH UNITS
LED AUTOMATED FIXTURES	**30**	**28**	**2**		
AYRTON MISTRAL-TC	4	2	2		
AYRTON DIABLO - TC	4	4			
Ayrton Eurus TC	12	12			
VARILITE VL2600 PROFILE	2	2			
VARILITE VL2600 PROFILE (SPARE UNIT)	1		1		SPARE ONLY
VARILITE VL2600 WASH	8	8			
ETC SOURCE FOUR AUTOMATED FIXTURE	**2**		**2**		
ETC SOURCE FOUR SERIES2 LED-26° w I-CUE and DMX IRIS	2		2		
COLOR KINETICS CYC FIXTURES	**16**	**16**			
COLOR BLAZE 72	16	16			
COLOR BLAZE 72 (SPARE UNIT)	1		1		SPARE ONLY
ATMOSPHERIC	**1**	**1**			
MDG Fog/Haze	1	1			
SCROLLERS & DEVICES	**6**	**8**		**2**	
PSU-08	10	2	8		

Instrument Type Stock Count

ROYAL THEATRE

	In Stock	In Use	Remaining	Short	
CHROMA-Q3	6	6			6 units FOH. 22 "SCRAPPED".
DMX IRIS	2		2		
ROSCO I-CUE	2		2		
DMX GATEWAYS	4		4		
PATHPORT OCTO DMX GATEWAY	1		1		SL FLYS RACK.
ETC NET3 GATEWAY 2 PORT	1		1		SR AMP ROOM RACK.
ETC NET3 DMX GATEWAY 4 PORT	1		1		LX BOOTH RACK.
ETC NET 3 DMX GATEWAY 2 PORT	1		1		PORTABLE

Accessories Stock Count

ROYAL THEATRE
805 Broughton St.
Victoria, BC V8W 1E5
(250) 361-0800

REVISION: 1
Technical Director: Warren Busby
Paperwork By: Cameron Stewart

ACCESSORIES STOCK COUNT

	In Stock	In Use	Remaining	Short
SOURCE 4 LENS TUBES (STANDARD BARREL)	**28**		**28**	
SOURCE 4 - BARREL 10°	6		6	
SOURCE 4 - BARREL 14°	2		2	
SOURCE 4 - BARREL 19°	12		12	
SOURCE 4 - BARREL 26°	8		8	
SOURCE 4 PAR LENSES	**158**		**158**	
SOURCE 4 PAR - LENS VNSP	46		46	
SOURCE 4 PAR - LENS NSP	46		46	
SOURCE 4 PAR - LENS MFL	38		38	
SOURCE 4 PAR - LENS WFL	22		22	
SOURCE 4 PAR - LENS XWFL	6		6	
6.25" FULL TOP HAT	32		32	
6.25" HALF TOP HAT	4	4		
6.25" HALF HAT-SHORT	12	2	10	
7.5" TOP HAT	12		12	
12" TOP HAT	28	22	6	
14" TOP HAT	4		4	
SELECON BARNDOOR	36		36	
DONUTS S4 - 19/26/36/50 DEG	24		24	
DONUTS S4 - 10 DEG	12		12	
DONUTS S4 - 5 DEG	8		8	

Accessories Stock Count

ROYAL THEATRE

	In Stock	In Use	Remaining	Short
IRIS S4	36		36	
CHROMA-Q3 6.25" MOUNTING FRAME	24		24	
CHROMA-Q3 7.25" MOUNTING FRAME	12		12	
CHROMA-Q3 7.5" MOUNTING FRAME	24		24	
TEMPLATE HOLDERS - "A" (S4)	6		6	
TEMPLATE HOLDERS - "B" (S4)	68		68	
TEMPLATE HOLDERS - 86MM UNI. GLASS (S4)	12		12	
12' SIDE LIGHTING LADDERS	10		10	12'h x 22"w. 6 rungs @ 24" centres from bottom.
DOUBLE SWIVEL CLAMPS	40		40	
FEEDER 2/0 @ 50 FEET	1		1	
FEEDER 4/0 @ 25 FEET	2		2	
FEEDER 4/0 @ 75 FEET	1		1	
MEGA CLAW FOR FOH BOOM PIPE	8		8	
PROCAN PRO 20 BASE	8		8	
STRAND 3380 - BARNDOOR	50		50	Retired Stock - not printed
TRUSS CLIPS	60		60	

Accessories Stock Count

ROYAL THEATRE

	In Stock	In Use	Remaining	Short	
10' LX PIPE BOOMS	8		8		10' PIPE & 20.5" SQUARE STEEL BASE
CHRISTIE LITES FIXTURE FLOOR BASE	10		10		10" X 10" X 4"

Channel Hookup

ROYAL THEATRE
805 Broughton St.
Victoria, BC V8W 1E5
(250) 361-0800

REVISION: 1
Technical Director: Warren Busby
Paperwork By: Cameron Stewart

Chan	Color & Gobo	Purpose	Dimmer	Address	Circuit#	Position	U#	Instrument Type & Load
(1)	L151+L258	SR	223			SL LADDER	1	ETC SOURCE FOUR-10° 750w
(2)	L151+L258	C	224			SL LADDER	2	ETC SOURCE FOUR-10° 750w
(3)	L151+L258	FRONT SL	241			FAR FOH	1	ETC SOURCE FOUR-5° 750w
(4)	L151+L258	FRONT SR	264			FAR FOH	24	ETC SOURCE FOUR-5° 750w
(5)	L151+L258	C	240			SR LADDER	2	ETC SOURCE FOUR-10° 750w
(6)	L151+L258	SL	239			SR LADDER	1	ETC SOURCE FOUR-10° 750w
(11)	L136+L258	SR	221			SL LADDER	3	ETC SOURCE FOUR-10° 750w
(12)	L136+L258	C	222			SL LADDER	4	ETC SOURCE FOUR-10° 750w
(13)	L136+L258	FRONT SL	242			FAR FOH	2	ETC SOURCE FOUR-5° 750w
(14)	L136+L258	FRONT SR	263			FAR FOH	23	ETC SOURCE FOUR-5° 750w
(15)	L136+L258	C	238			SR LADDER	4	ETC SOURCE FOUR-10° 750w
(16)	L136+L258	SL	237			SR LADDER	3	ETC SOURCE FOUR-10° 750w
(21)	L161+L258	SR	219			SL LADDER	5	ETC SOURCE FOUR-10° 750w
(22)	L161+L258	C	220			SL LADDER	6	ETC SOURCE FOUR-10° 750w
(23)	L161+L258	FRONT SL	243			FAR FOH	3	ETC SOURCE FOUR-5° 750w
(24)	L161+L258	FRONT SR	262			FAR FOH	22	ETC SOURCE FOUR-5° 750w
(25)	L161+L258	C	236			SR LADDER	6	ETC SOURCE FOUR-10° 750w
(26)	L161+L258	SL	235			SR LADDER	5	ETC SOURCE FOUR-10° 750w
(31)		SR	217			SL LADDER	7	ETC SOURCE FOUR-14° 575w
	L258+HS			UNIVERSE 4/ 491		SL LADDER	8.1	CHROMA-Q3
(32)		C	215			SL LADDER	9	ETC SOURCE FOUR-14° 575w
	L258+HS			UNIVERSE 4/ 492		SL LADDER	10.1	CHROMA-Q3
(33)		SL	213			SL LADDER	11	ETC SOURCE FOUR-14° 575w
	L258+HS			UNIVERSE 4/ 493		SL LADDER	12.1	CHROMA-Q3

Channel Hookup

ROYAL THEATRE

Chan	Color & Gobo	Purpose	Dimmer	Address	Circuit#	Position	U#	Instrument Type & Load
(34)		SR	229			SR LADDER	11	ETC SOURCE FOUR-14° 575w
	L258+HS			UNIVERSE 4/ 494		SR LADDER	12.1	CHROMA-Q3
(35)		C	231			SR LADDER	9	ETC SOURCE FOUR-14° 575w
	L258+HS			UNIVERSE 4/ 495		SR LADDER	10.1	CHROMA-Q3
(36)		SL	233			SR LADDER	7	ETC SOURCE FOUR-14° 575w
	R132			UNIVERSE 4/ 496		SR LADDER	8.1	CHROMA-Q3
(41)	L202+L258	SR	218			SL LADDER	8	ETC SOURCE FOUR-10° 750w
(42)	L202+L258	C	216			SL LADDER	10	ETC SOURCE FOUR-10° 750w
(43)	L202+L258	SL	214			SL LADDER	12	ETC SOURCE FOUR-10° 750w
(44)	L202+L258	SR	230			SR LADDER	12	ETC SOURCE FOUR-10° 750w
(45)	L202+L258	C	232			SR LADDER	10	ETC SOURCE FOUR-10° 750w
(46)	L202+L258	SL	234			SR LADDER	8	ETC SOURCE FOUR-10° 750w
(81)	R132	TIP	R1	UNIVERSE 2/ 233		LX # 1	27	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
(82)	R132	TIP	R1	UNIVERSE 2/ 243		LX # 1	1	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
(83)	R132	TIP	R72	UNIVERSE 2/ 253		LX # 2	30	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
(84)	R132	TIP	R37	UNIVERSE 2/ 263		LX # 2	1	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
(85)	R132	TIP	R130	UNIVERSE 2/ 273	R130	LX # 3	26	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
(86)	R132	TIP	R127	UNIVERSE 2/ 283		LX # 3	1	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
(87)	R132	TIP	R122	UNIVERSE 2/ 293		LX # 4	24	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
(88)	R132	TIP	R121	UNIVERSE 2/ 303		LX # 4	1	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
(91)	R132	TIP	35			LX # 1	26	ETC SOURCE FOUR-ZOOM 25°-50° 750w

Channel Hookup

ROYAL THEATRE

Chan	Color & Gobo	Purpose	Dimmer	Address	Circuit#	Position	U#	Instrument Type & Load
(92)	R132	TIP	3			LX # 1	2	ETC SOURCE FOUR-ZOOM 25°-50° 750w
(93)	R132	TIP	70			LX # 2	29	ETC SOURCE FOUR-ZOOM 25°-50° 750w
(94)	R132	TIP	39			LX # 2	2	ETC SOURCE FOUR-ZOOM 25°-50° 750w
(95)	R132	TIP	96			LX # 3	25	ETC SOURCE FOUR-ZOOM 25°-50° 750w
(96)	R132	TIP	73			LX # 3	2	ETC SOURCE FOUR-ZOOM 25°-50° 750w
(97)	R132	TIP	118			LX # 4	23	ETC SOURCE FOUR-ZOOM 25°-50° 750w
(98)	R132	TIP	99			LX # 4	2	ETC SOURCE FOUR-ZOOM 25°-50° 750w
(101)	R132	TIP	R1	UNIVERSE 2/ 313		LX # 1	25	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
(102)	R132	TIP	R1	UNIVERSE 2/ 325		LX # 1	3	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
(103)	R132	TIP	R72	UNIVERSE 2/ 337		LX # 2	28	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
(104)	R132	TIP	R37	UNIVERSE 2/ 349		LX # 2	3	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
(105)	R132	TIP	R130	UNIVERSE 2/ 361	R130	LX # 3	24	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
(106)	R132	TIP	R127	UNIVERSE 2/ 373		LX # 3	3	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
(107)	R132	TIP	R122	UNIVERSE 2/ 385		LX # 4	22	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
(108)	R132	TIP	R121	UNIVERSE 2/ 397		LX # 4	3	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
(111)			R2	UNIVERSE 2/ 409	R2	LX # 1	20	ETC COLORSOURCE V MAX FRESNEL 148w
(112)			R2	UNIVERSE 2/ 418	R2	LX # 1	13	ETC COLORSOURCE V MAX FRESNEL 148w
(113)			R2	UNIVERSE 2/ 427	R2	LX # 1	8	ETC COLORSOURCE V MAX FRESNEL 148w

Channel Hookup

ROYAL THEATRE

Chan	Color & Gobo	Purpose	Dimmer	Address	Circuit#	Position	U#	Instrument Type & Load
(114)			R71	UNIVERSE 2/ 436	R71	LX # 2	22	ETC COLORSOURCE V MAX FRESNEL 148w
(115)			R71	UNIVERSE 2/ 445	R71	LX # 2	15	ETC COLORSOURCE V MAX FRESNEL 148w
(116)			R71	UNIVERSE 2/ 454	R71	LX # 2	9	ETC COLORSOURCE V MAX FRESNEL 148w
(117)			R129	UNIVERSE 2/ 463	R129	LX # 3	20	ETC COLORSOURCE V MAX FRESNEL 148w
(118)			R129		R129	LX # 3	13	ETC COLORSOURCE V MAX FRESNEL 148w
(119)			R129		R129	LX # 3	7	ETC COLORSOURCE V MAX FRESNEL 148w
(131)	NC	SPEC	33			LX # 1	22	ETC SOURCE FOUR-36° 575w
(132)	NC	SPEC	25			LX # 1	17	ETC SOURCE FOUR-36° 575w
(133)	NC	SPEC	21			LX # 1	15	ETC SOURCE FOUR-36° 575w
(134)	NC	SPEC	15			LX # 1	11	ETC SOURCE FOUR-36° 575w
(135)	NC	SPEC	8			LX # 1	6	ETC SOURCE FOUR-36° 575w
(136)	NC	SPEC	64			LX # 2	21	ETC SOURCE FOUR-36° 575w
(137)	NC	SPEC	55	UNIVERSE 1/ 55		LX # 2	16	ETC SOURCE FOUR-36° 575w
(138)	NC	SPEC	46			LX # 2	10	ETC SOURCE FOUR-36° 575w
(139)	NC	SPEC	90			LX # 3	19	ETC SOURCE FOUR-36° 575w
(140)	NC	SPEC	87			LX # 3	16	ETC SOURCE FOUR-36° 575w
(141)	NC	SPEC	85			LX # 3	14	ETC SOURCE FOUR-36° 575w
(142)	NC	SPEC	82			LX # 3	11	ETC SOURCE FOUR-36° 575w
(143)	NC	SPEC	78			LX # 3	8	ETC SOURCE FOUR-36° 575w
(151)	NC	TOP	4			LX # 1	24	ETC SOURCE FOUR PAR-MFL 575w
(152)	NC	TOP	31			LX # 1	21	ETC SOURCE FOUR PAR-MFL 575w
(153)	NC	TOP	26			LX # 1	18	ETC SOURCE FOUR PAR-MFL 575w

Channel Hookup

ROYAL THEATRE

Chan	Color & Gobo	Purpose	Dimmer	Address	Circuit#	Position	U#	Instrument Type & Load
(154)	NC	TOP	23			LX # 1	16	ETC SOURCE FOUR PAR-MFL 575w
(155)	NC	TOP	18			LX # 1	12	ETC SOURCE FOUR PAR-MFL 575w
(156)	NC	TOP	14			LX # 1	10	ETC SOURCE FOUR PAR-MFL 575w
(157)	NC	TOP	9			LX # 1	7	ETC SOURCE FOUR PAR-MFL 575w
(158)	NC	TOP	5			LX # 1	4	ETC SOURCE FOUR PAR-MFL 575w
(161)	NC	TOP	68			LX # 2	26	ETC SOURCE FOUR PAR-WFL 575w
(162)	NC	TOP	65			LX # 2	23	ETC SOURCE FOUR PAR-WFL 575w
(163)	NC	TOP	62			LX # 2	20	ETC SOURCE FOUR PAR-WFL 575w
(164)	NC	TOP	58			LX # 2	17	ETC SOURCE FOUR PAR-WFL 575w
(165)	NC	TOP	53			LX # 2	14	ETC SOURCE FOUR PAR-WFL 575w
(166)	NC	TOP	48			LX # 2	11	ETC SOURCE FOUR PAR-WFL 575w
(167)	NC	TOP	44			LX # 2	8	ETC SOURCE FOUR PAR-WFL 575w
(168)	NC	TOP	40			LX # 2	5	ETC SOURCE FOUR PAR-WFL 575w
(171)	NC	TOP	94			LX # 3	23	ETC SOURCE FOUR PAR-WFL 575w
(172)	NC	TOP	91			LX # 3	21	ETC SOURCE FOUR PAR-WFL 575w
(173)	NC	TOP	89			LX # 3	18	ETC SOURCE FOUR PAR-WFL 575w
(174)	NC	TOP	86			LX # 3	15	ETC SOURCE FOUR PAR-WFL 575w
(175)	NC	TOP	83			LX # 3	12	ETC SOURCE FOUR PAR-WFL 575w

Channel Hookup

ROYAL THEATRE

Chan	Color & Gobo	Purpose	Dimmer	Address	Circuit#	Position	U#	Instrument Type & Load
(176)	NC	TOP	80			LX # 3	9	ETC SOURCE FOUR PAR-WFL 575w
(177)	NC	TOP	79			LX # 3	6	ETC SOURCE FOUR PAR-WFL 575w
(178)	NC	TOP	75			LX # 3	4	ETC SOURCE FOUR PAR-WFL 575w
(181)	NC	TOP	117			LX # 4	20	ETC SOURCE FOUR PAR-WFL 575w
(182)	NC	TOP	115			LX # 4	17	ETC SOURCE FOUR PAR-WFL 575w
(183)	NC	TOP	114			LX # 4	16	ETC SOURCE FOUR PAR-WFL 575w
(184)	NC	TOP	110			LX # 4	13	ETC SOURCE FOUR PAR-WFL 575w
(185)	NC	TOP	107			LX # 4	12	ETC SOURCE FOUR PAR-WFL 575w
(186)	NC	TOP	104			LX # 4	9	ETC SOURCE FOUR PAR-WFL 575w
(187)	NC	TOP	102			LX # 4	8	ETC SOURCE FOUR PAR-WFL 575w
(188)	NC	TOP	98			LX # 4	5	ETC SOURCE FOUR PAR-WFL 575w
(191)	NC	DDR	228			SR LADDER	14	ETC SOURCE FOUR-10° 750w
(192)	NC	DC	211			SL LADDER	13	ETC SOURCE FOUR-10° 750w
(193)	NC	DC	227			SR LADDER	13	ETC SOURCE FOUR-10° 750w
(194)	NC	DDL	212			SL LADDER	14	ETC SOURCE FOUR-10° 750w
(198)	L151+R132	DRAPE	210			SL LADDER	15	ETC SOURCE FOUR-26° 575w
	L151+R132	DRAPE	210			SL LADDER	16	ETC SOURCE FOUR-26° 575w
	L151+R132	DRAPE	226			SR LADDER	15	ETC SOURCE FOUR-26° 575w
	L151+R132	DRAPE	226			SR LADDER	16	ETC SOURCE FOUR-26° 575w
(199)	NC	CONDUCTOR	201			SL BOX	1	ETC SOURCE FOUR-19° 575w
	NC	CONDUCTOR	205			SR BOX	1	ETC SOURCE FOUR-19° 575w

Channel Hookup

ROYAL THEATRE

Chan	Color & Gobo	Purpose	Dimmer	Address	Circuit#	Position	U#	Instrument Type & Load
(201)	NC	Special	261			FAR FOH	20	ETC SOURCE FOUR-5° 750w
(202)	NC	Special	260			FAR FOH	19	ETC SOURCE FOUR-5° 750w
(203)	NC	Special	259			FAR FOH	18	ETC SOURCE FOUR-5° 750w
(204)	NC	Special	258			FAR FOH	17	ETC SOURCE FOUR-5° 750w
(205)	NC	Special	257			FAR FOH	16	ETC SOURCE FOUR-5° 750w
(206)	NC	Special	256			FAR FOH	15	ETC SOURCE FOUR-5° 750w
(207)	NC	Special	255			FAR FOH	14	ETC SOURCE FOUR-5° 750w
(208)	NC	Special	250			FAR FOH	11	ETC SOURCE FOUR-5° 750w
(209)	NC	Special	249			FAR FOH	10	ETC SOURCE FOUR-5° 750w
(210)	NC	Special	248			FAR FOH	9	ETC SOURCE FOUR-5° 750w
(211)	NC	Special	247			FAR FOH	8	ETC SOURCE FOUR-5° 750w
(212)	NC	Special	246			FAR FOH	7	ETC SOURCE FOUR-5° 750w
(213)	NC	Special	245			FAR FOH	6	ETC SOURCE FOUR-5° 750w
(214)	NC	Special	244			FAR FOH	5	ETC SOURCE FOUR-5° 750w
(221)	NC	Special	507			CIRCLE RAIL	12	ETC SOURCE FOUR-26° 575w
(222)	NC	Special	512			CIRCLE RAIL	11	ETC SOURCE FOUR-26° 575w
(223)	NC	Special	511			CIRCLE RAIL	10	ETC SOURCE FOUR-26° 575w
(224)	NC	Special	509			CIRCLE RAIL	9	ETC SOURCE FOUR-26° 575w
(225)	NC	Special	510			CIRCLE RAIL	8	ETC SOURCE FOUR-26° 575w
(226)	NC	Special	503			CIRCLE RAIL	7	ETC SOURCE FOUR-26° 575w
(227)	NC	Special	508			CIRCLE RAIL	6	ETC SOURCE FOUR-26° 575w
(228)	NC	Special	506			CIRCLE RAIL	5	ETC SOURCE FOUR-26° 575w
(229)	NC	Special	504			CIRCLE RAIL	4	ETC SOURCE FOUR-26° 575w
(230)	NC	Special	502			CIRCLE RAIL	3	ETC SOURCE FOUR-26° 575w
(231)	NC	Special	501			CIRCLE RAIL	2	ETC SOURCE FOUR-26° 575w
(232)	NC	Special	505			CIRCLE RAIL	1	ETC SOURCE FOUR-26° 575w

Channel Hookup

ROYAL THEATRE

Chan	Color & Gobo	Purpose	Dimmer	Address	Circuit#	Position	U#	Instrument Type & Load
(500)	NC	WORKS	103			LX # 4	4	ETC SOURCE 4WRD LED PAR-XWFL 155w
	NC	WORKS	120			LX # 4	21	ETC SOURCE 4WRD LED PAR-XWFL 155w
	NC	WORKS	41			LX # 2	4	ETC SOURCE 4WRD LED PAR-XWFL 155w
	NC	WORKS	69			LX # 2	27	ETC SOURCE 4WRD LED PAR-XWFL 155w
(901)	NC	MOVING LIGHT		UNIVERSE 4/ 157	N32	SR BOX	3	AYRTON DIABLO - TC 550w
(902)	NC	MOVING LIGHT		UNIVERSE 4/ 213	N29	SL BOX	3	AYRTON DIABLO - TC 550w
(903)	NC	MOVING LIGHT		UNIVERSE 4/ 269	N36	SR LADDER	17	AYRTON DIABLO - TC 550w
(904)		MOVING LIGHT		UNIVERSE 4/ 325	N33	SL LADDER	17	AYRTON DIABLO - TC 550w
(905)	NC	MOVING LIGHT	36	UNIVERSE 1/ 265	N22	LX # 1	23	VARILITE VL 1000TS 1kW
(906)	NC	MOVING LIGHT	28	UNIVERSE 1/ 292	N21	LX # 1	19	VARILITE VL 1000TS 1kW
(907)	NC	MOVING LIGHT	20	UNIVERSE 1/ 319	N21	LX # 1	14	VARILITE VL 1000TS 1kW
(908)	NC	MOVING LIGHT	7	UNIVERSE 1/ 373	N19	LX # 1	5	VARILITE VL 1000TS 1kW
	NC	MOVING LIGHT	13	UNIVERSE 1/ 346	N20	LX # 1	9	VARILITE VL 1000TS 1kW
(911)	NC	FOH MOVING LIGHT	N35	UNIVERSE 4/ 79	N35	SR LADDER	0.2	AYRTON MISTRAL-TC 450w
(912)	NC	FOH MOVING LIGHT	N34	UNIVERSE 4/ 40	N34	SL LADDER	0.1	AYRTON MISTRAL-TC 450w
(913)	NC	FOH MOVING LIGHT	N35	UNIVERSE 4/ 1	N35	SR LADDER	0.1	AYRTON MISTRAL-TC 450w
(914)	NC	FOH MOVING LIGHT	N34	UNIVERSE 4/ 118	N34	SL LADDER	0.2	AYRTON MISTRAL-TC 450w
(915)	NC	MOVING LIGHT	R254	UNIVERSE 1/ 400	R254	FAR FOH	13	VARILITE VL2600 PROFILE 820w

Channel Hookup

ROYAL THEATRE

Chan	Color & Gobo	Purpose	Dimmer	Address	Circuit#	Position	U#	Instrument Type & Load
(916)	NC	MOVING LIGHT	R253	UNIVERSE 1/ 447	R253	FAR FOH	12	VARILITE VL2600 PROFILE 820w
(951)	NC	MOVING LIGHT	N18	UNIVERSE 2/ 1	N18	LX # 2	24	VARILITE VL2600 WASH 550w
(952)	NC	MOVING LIGHT	N16	UNIVERSE 2/ 30	N16	LX # 2	18	VARILITE VL2600 WASH 550w
(953)	NC	MOVING LIGHT	N14	UNIVERSE 2/ 59	N14	LX # 2	13	VARILITE VL2600 WASH 550w
(954)	NC	MOVING LIGHT	N13	UNIVERSE 2/ 88	N13	LX # 2	7	VARILITE VL2600 WASH 550w
(955)	NC	MOVING LIGHT	N6	UNIVERSE 2/ 117	N6	LX # 4	18	VARILITE VL2600 WASH 550w
(956)	NC	MOVING LIGHT	N5	UNIVERSE 2/ 146	N5	LX # 4	14	VARILITE VL2600 WASH 550w
(957)	NC	MOVING LIGHT	N3	UNIVERSE 2/ 175	N3	LX # 4	11	VARILITE VL2600 WASH 550w
(958)	NC	MOVING LIGHT	N1	UNIVERSE 2/ 204	N1	LX # 4	7	VARILITE VL2600 WASH 550w
(961)	NC	MOVING LIGHT	N18	UNIVERSE 3/ 1	N18	LX # 2	25	Ayrton Eurus TC 900w
(962)	NC	MOVING LIGHT	N16	UNIVERSE 3/ 42	N16	LX # 2	19	Ayrton Eurus TC 900w
(963)	NC	MOVING LIGHT	N14	UNIVERSE 3/ 83	N14	LX # 2	12	Ayrton Eurus TC 900w
(964)	NC	MOVING LIGHT	N13	UNIVERSE 3/ 124	N13	LX # 2	6	Ayrton Eurus TC 900w
(965)	NC	MOVING LIGHT	N11	UNIVERSE 3/ 165	N11	LX # 3	22	Ayrton Eurus TC 900w
(966)	NC	MOVING LIGHT	N10	UNIVERSE 3/ 206	N10	LX # 3	17	Ayrton Eurus TC 900w
(967)	NC	MOVING LIGHT	N9	UNIVERSE 3/ 247	N9	LX # 3	10	Ayrton Eurus TC 900w
(968)	NC	MOVING LIGHT	N8	UNIVERSE 3/ 288	N8	LX # 3	5	Ayrton Eurus TC 900w
(969)	NC	MOVING LIGHT	N6	UNIVERSE 3/ 329	N6	LX # 4	19	Ayrton Eurus TC 900w

Channel Hookup

ROYAL THEATRE

Chan	Color & Gobo	Purpose	Dimmer	Address	Circuit#	Position	U#	Instrument Type & Load
(970)	NC	MOVING LIGHT	N5	UNIVERSE 3/ 370	N5	LX # 4	15	Ayrton Eurus TC 900w
(971)	NC	MOVING LIGHT	N3	UNIVERSE 3/ 411	N3	LX # 4	10	Ayrton Eurus TC 900w
(972)	NC	MOVING LIGHT	N1	UNIVERSE 3/ 452	N1	LX # 4	6	Ayrton Eurus TC 900w
(981)	RGB	CYC GROUND ROW	N44	UNIVERSE 5/ 1	N44	GROUNDRO W	8	COLOR BLAZE 72 420w
(982)	RGB	CYC GROUND ROW	N44	UNIVERSE 5/ 4	N44	GROUNDRO W	7	COLOR BLAZE 72 420w
(983)	RGB	CYC GROUND ROW	N44	UNIVERSE 5/ 7	N44	GROUNDRO W	6	COLOR BLAZE 72 420w
(984)	RGB	CYC GROUND ROW	N44	UNIVERSE 5/ 10	N44	GROUNDRO W	5	COLOR BLAZE 72 420w
(985)	RGB	CYC GROUND ROW	N43	UNIVERSE 5/ 13	N43	GROUNDRO W	4	COLOR BLAZE 72 420w
(986)	RGB	CYC GROUND ROW	N43	UNIVERSE 5/ 16	N43	GROUNDRO W	3	COLOR BLAZE 72 420w
(987)	RGB	CYC GROUND ROW	N43	UNIVERSE 5/ 19	N43	GROUNDRO W	2	COLOR BLAZE 72 420w
(988)	RGB	CYC GROUND ROW	N43	UNIVERSE 5/ 22	N43	GROUNDRO W	1	COLOR BLAZE 72 420w
(991)	RGB	CYC TOP	N46	UNIVERSE 7/ 1	N46	CYC TRUSS	8	COLOR BLAZE 72 420w
(992)	RGB	CYC TOP	N46	UNIVERSE 7/ 4	N46	CYC TRUSS	7	COLOR BLAZE 72 420w
(993)	RGB	CYC TOP	N46	UNIVERSE 7/ 7	N46	CYC TRUSS	6	COLOR BLAZE 72 420w
(994)	RGB	CYC TOP	N46	UNIVERSE 7/ 10	N46	CYC TRUSS	5	COLOR BLAZE 72 420w
(995)	RGB	CYC TOP	N45	UNIVERSE 7/ 13	N45	CYC TRUSS	4	COLOR BLAZE 72 420w
(996)	RGB	CYC TOP	N45	UNIVERSE 7/ 16	N45	CYC TRUSS	3	COLOR BLAZE 72 420w
(997)	RGB	CYC TOP	N45	UNIVERSE 7/ 19	N45	CYC TRUSS	2	COLOR BLAZE 72 420w

Channel Hookup

ROYAL THEATRE

Chan	Color & Gobo	Purpose	Dimmer	Address	Circuit#	Position	U#	Instrument Type & Load
(998)	RGB	CYC TOP	N45	UNIVERSE 7/ 22	N45	CYC TRUSS	1	COLOR BLAZE 72 420w
(1000)		ATMOSPHERICS		UNIVERSE 8/ 508		DECK USR	1	MDG Fog/Haze
(1001)	LED	PROSCENIUM	N52	UNIVERSE 4/ 451	N52	PROSCENIUM	1	CHROMA-Q COLOR ONE 100 RGBA 52w
	LED	PROSCENIUM	N52	UNIVERSE 4/ 451	N52	PROSCENIUM	2	CHROMA-Q COLOR ONE 100 RGBA 52w
(1002)	LED	TORCH	N52	UNIVERSE 4/ 455	N52	SL BOX FRONT (BOTTOM)	3	CHROMA-Q COLOR ONE 100 RGBA 52w
	LED	TORCH	N52	UNIVERSE 4/ 455	N52	SR BOX FRONT (BOTTOM)	3	CHROMA-Q COLOR ONE 100 RGBA 52w
(1003)	LED	ROSETTE LED	N52	UNIVERSE 4/ 459	N52	SL BOX FRONT (BOTTOM)	1	ETC Source 4WRD Color II RGBA LED-19° - ARCH 155w
	LED	ROSETTE LED	N52	UNIVERSE 4/ 459	N52	SR BOX FRONT (BOTTOM)	1	ETC Source 4WRD Color II RGBA LED-19° - ARCH 155w
(1004)	LED	HL LADIES	Bac	UNIVERSE 4/ 469	Bac	SL BOX	2	ETC Source 4WRD Color II RGBA LED-19° - ARCH 155w
	LED	HR LADIES	Bac	UNIVERSE 4/ 469	Bac	SR BOX	2	ETC Source 4WRD Color II RGBA LED-19° - ARCH 150w
(1005)	LED	TORCH	N52	UNIVERSE 4/ 479	N52	SL BOX ARCHITECTURE	1	CHROMA-Q COLOR ONE 100 RGBA 52w
	LED	TORCH	N52	UNIVERSE 4/ 479	N52	SR BOX ARCHITECTURE	1	CHROMA-Q COLOR ONE 100 RGBA 52w
(1006)	LED	TORCH	N52	UNIVERSE 4/ 483	N52	SL BOX ARCHITECTURE	2	CHROMA-Q COLOR ONE 100 RGBA 52w
	LED	TORCH	N52	UNIVERSE 4/ 483	N52	SR BOX ARCHITECTURE	2	CHROMA-Q COLOR ONE 100 RGBA 52w

Dimmer Hookup

ROYAL THEATRE
805 Broughton St.
Victoria, BC V8W 1E5
(250) 361-0800

REVISION: 1
Technical Director: Warren Busby
Paperwork By: Cameron Stewart

Dimmer	Chan	Address	Cir#	Clr & Gb	Position	U#	Instrument Type & Accessories & Load
3	(92)			R132	LX # 1	2	ETC SOURCE FOUR-ZOOM 25°-50° 750w
4	(151)			NC	LX # 1	24	ETC SOURCE FOUR PAR-MFL 575w
5	(158)			NC	LX # 1	4	ETC SOURCE FOUR PAR-MFL 575w
7	(908)	UNIVERSE 1/373	N19	NC	LX # 1	5	VARILITE VL 1000TS 1kW
8	(135)			NC	LX # 1	6	ETC SOURCE FOUR-36° 575w
9	(157)			NC	LX # 1	7	ETC SOURCE FOUR PAR-MFL 575w
13	(908)	UNIVERSE 1/346	N20	NC	LX # 1	9	VARILITE VL 1000TS 1kW
14	(156)			NC	LX # 1	10	ETC SOURCE FOUR PAR-MFL 575w
15	(134)			NC	LX # 1	11	ETC SOURCE FOUR-36° 575w
18	(155)			NC	LX # 1	12	ETC SOURCE FOUR PAR-MFL 575w
20	(907)	UNIVERSE 1/319	N21	NC	LX # 1	14	VARILITE VL 1000TS 1kW
21	(133)			NC	LX # 1	15	ETC SOURCE FOUR-36° 575w
23	(154)			NC	LX # 1	16	ETC SOURCE FOUR PAR-MFL 575w
25	(132)			NC	LX # 1	17	ETC SOURCE FOUR-36° 575w
26	(153)			NC	LX # 1	18	ETC SOURCE FOUR PAR-MFL 575w
28	(906)	UNIVERSE 1/292	N21	NC	LX # 1	19	VARILITE VL 1000TS 1kW
31	(152)			NC	LX # 1	21	ETC SOURCE FOUR PAR-MFL 575w
33	(131)			NC	LX # 1	22	ETC SOURCE FOUR-36° 575w
35	(91)			R132	LX # 1	26	ETC SOURCE FOUR-ZOOM 25°-50° 750w
36	(905)	UNIVERSE 1/265	N22	NC	LX # 1	23	VARILITE VL 1000TS 1kW
39	(94)			R132	LX # 2	2	ETC SOURCE FOUR-ZOOM 25°-50° 750w

Dimmer Hookup

ROYAL THEATRE

Dimmer	Chan	Address	Cir#	Clr & Gb	Position	U#	Instrument Type & Accessories & Load
40	(168)			NC	LX # 2	5	ETC SOURCE FOUR PAR-WFL 575w
41	(500)			NC	LX # 2	4	ETC SOURCE 4WRD LED PAR-XWFL 155w
44	(167)			NC	LX # 2	8	ETC SOURCE FOUR PAR-WFL 575w
46	(138)			NC	LX # 2	10	ETC SOURCE FOUR-36° 575w
48	(166)			NC	LX # 2	11	ETC SOURCE FOUR PAR-WFL 575w
53	(165)			NC	LX # 2	14	ETC SOURCE FOUR PAR-WFL 575w
55	(137)	UNIVERSE 1/55		NC	LX # 2	16	ETC SOURCE FOUR-36° 575w
58	(164)			NC	LX # 2	17	ETC SOURCE FOUR PAR-WFL 575w
62	(163)			NC	LX # 2	20	ETC SOURCE FOUR PAR-WFL 575w
64	(136)			NC	LX # 2	21	ETC SOURCE FOUR-36° 575w
65	(162)			NC	LX # 2	23	ETC SOURCE FOUR PAR-WFL 575w
68	(161)			NC	LX # 2	26	ETC SOURCE FOUR PAR-WFL 575w
69	(500)			NC	LX # 2	27	ETC SOURCE 4WRD LED PAR-XWFL 155w
70	(93)			R132	LX # 2	29	ETC SOURCE FOUR-ZOOM 25°-50° 750w
73	(96)			R132	LX # 3	2	ETC SOURCE FOUR-ZOOM 25°-50° 750w
75	(178)			NC	LX # 3	4	ETC SOURCE FOUR PAR-WFL 575w
78	(143)			NC	LX # 3	8	ETC SOURCE FOUR-36° 575w
79	(177)			NC	LX # 3	6	ETC SOURCE FOUR PAR-WFL 575w
80	(176)			NC	LX # 3	9	ETC SOURCE FOUR PAR-WFL 575w
82	(142)			NC	LX # 3	11	ETC SOURCE FOUR-36° 575w
83	(175)			NC	LX # 3	12	ETC SOURCE FOUR PAR-WFL 575w
85	(141)			NC	LX # 3	14	ETC SOURCE FOUR-36° 575w

Dimmer Hookup

ROYAL THEATRE

Dimmer	Chan	Address	Cir#	Clr & Gb	Position	U#	Instrument Type & Accessories & Load
86	(174)			NC	LX # 3	15	ETC SOURCE FOUR PAR-WFL 575w
87	(140)			NC	LX # 3	16	ETC SOURCE FOUR-36° 575w
89	(173)			NC	LX # 3	18	ETC SOURCE FOUR PAR-WFL 575w
90	(139)			NC	LX # 3	19	ETC SOURCE FOUR-36° 575w
91	(172)			NC	LX # 3	21	ETC SOURCE FOUR PAR-WFL 575w
94	(171)			NC	LX # 3	23	ETC SOURCE FOUR PAR-WFL 575w
96	(95)			R132	LX # 3	25	ETC SOURCE FOUR-ZOOM 25°-50° 750w
98	(188)			NC	LX # 4	5	ETC SOURCE FOUR PAR-WFL 575w
99	(98)			R132	LX # 4	2	ETC SOURCE FOUR-ZOOM 25°-50° 750w
102	(187)			NC	LX # 4	8	ETC SOURCE FOUR PAR-WFL 575w
103	(500)			NC	LX # 4	4	ETC SOURCE 4WRD LED PAR-XWFL 155w
104	(186)			NC	LX # 4	9	ETC SOURCE FOUR PAR-WFL 575w
107	(185)			NC	LX # 4	12	ETC SOURCE FOUR PAR-WFL 575w
110	(184)			NC	LX # 4	13	ETC SOURCE FOUR PAR-WFL 575w
114	(183)			NC	LX # 4	16	ETC SOURCE FOUR PAR-WFL 575w
115	(182)			NC	LX # 4	17	ETC SOURCE FOUR PAR-WFL 575w
117	(181)			NC	LX # 4	20	ETC SOURCE FOUR PAR-WFL 575w
118	(97)			R132	LX # 4	23	ETC SOURCE FOUR-ZOOM 25°-50° 750w
120	(500)			NC	LX # 4	21	ETC SOURCE 4WRD LED PAR-XWFL 155w
201	(199)			NC	SL BOX	1	ETC SOURCE FOUR-19°+6.25" Half Top hat 575w
205	(199)			NC	SR BOX	1	ETC SOURCE FOUR-19°+6.25" Half Top hat 575w

Dimmer Hookup

ROYAL THEATRE

Dimmer	Chan	Address	Cir#	Clr & Gb	Position	U#	Instrument Type & Accessories & Load
210	(198)			L151+ R132	SL LADDER	15	ETC SOURCE FOUR-26° 575w
	"			"	"	16	"
211	(192)			NC	SL LADDER	13	ETC SOURCE FOUR-10°+12" Top Hat 750w
212	(194)			NC	SL LADDER	14	ETC SOURCE FOUR-10°+12" Top Hat 750w
213	(33)				SL LADDER	11	ETC SOURCE FOUR-14° 575w
214	(43)			L202+ L258	SL LADDER	12	ETC SOURCE FOUR-10°+12" Top Hat 750w
215	(32)				SL LADDER	9	ETC SOURCE FOUR-14° 575w
216	(42)			L202+ L258	SL LADDER	10	ETC SOURCE FOUR-10°+12" Top Hat 750w
217	(31)				SL LADDER	7	ETC SOURCE FOUR-14° 575w
218	(41)			L202+ L258	SL LADDER	8	ETC SOURCE FOUR-10°+12" Top Hat 750w
219	(21)			L161+ L258	SL LADDER	5	ETC SOURCE FOUR-10°+12" Top Hat 750w
220	(22)			L161+ L258	SL LADDER	6	ETC SOURCE FOUR-10°+12" Top Hat 750w
221	(11)			L136+ L258	SL LADDER	3	ETC SOURCE FOUR-10°+12" Top Hat 750w
222	(12)			L136+ L258	SL LADDER	4	ETC SOURCE FOUR-10°+12" Top Hat 750w
223	(1)			L151+ L258	SL LADDER	1	ETC SOURCE FOUR-10°+12" Top Hat 750w
224	(2)			L151+ L258	SL LADDER	2	ETC SOURCE FOUR-10°+12" Top Hat 750w

Dimmer Hookup

ROYAL THEATRE

Dimmer	Chan	Address	Cir#	Clr & Gb	Position	U#	Instrument Type & Accessories & Load
226	(198)			L151+ R132	SR LADDER	15	ETC SOURCE FOUR-26° 575w
	"			"	"	16	"
227	(193)			NC	SR LADDER	13	ETC SOURCE FOUR-10°+12" Top Hat 750w
228	(191)			NC	SR LADDER	14	ETC SOURCE FOUR-10°+12" Top Hat 750w
229	(34)				SR LADDER	11	ETC SOURCE FOUR-14° 575w
230	(44)			L202+ L258	SR LADDER	12	ETC SOURCE FOUR-10°+12" Top Hat 750w
231	(35)				SR LADDER	9	ETC SOURCE FOUR-14° 575w
232	(45)			L202+ L258	SR LADDER	10	ETC SOURCE FOUR-10°+12" Top Hat 750w
233	(36)				SR LADDER	7	ETC SOURCE FOUR-14° 575w
234	(46)			L202+ L258	SR LADDER	8	ETC SOURCE FOUR-10°+12" Top Hat 750w
235	(26)			L161+ L258	SR LADDER	5	ETC SOURCE FOUR-10°+12" Top Hat 750w
236	(25)			L161+ L258	SR LADDER	6	ETC SOURCE FOUR-10°+12" Top Hat 750w
237	(16)			L136+ L258	SR LADDER	3	ETC SOURCE FOUR-10°+12" Top Hat 750w
238	(15)			L136+ L258	SR LADDER	4	ETC SOURCE FOUR-10°+12" Top Hat 750w
239	(6)			L151+ L258	SR LADDER	1	ETC SOURCE FOUR-10°+12" Top Hat 750w
240	(5)			L151+ L258	SR LADDER	2	ETC SOURCE FOUR-10°+12" Top Hat 750w

Dimmer Hookup

ROYAL THEATRE

Dimmer	Chan	Address	Cir#	Clr & Gb	Position	U#	Instrument Type & Accessories & Load
241	(3)			L151+ L258	FAR FOH	1	ETC SOURCE FOUR-5° 750w
242	(13)			L136+ L258	FAR FOH	2	ETC SOURCE FOUR-5° 750w
243	(23)			L161+ L258	FAR FOH	3	ETC SOURCE FOUR-5° 750w
244	(214)			NC	FAR FOH	5	ETC SOURCE FOUR-5° 750w
245	(213)			NC	FAR FOH	6	ETC SOURCE FOUR-5° 750w
246	(212)			NC	FAR FOH	7	ETC SOURCE FOUR-5° 750w
247	(211)			NC	FAR FOH	8	ETC SOURCE FOUR-5° 750w
248	(210)			NC	FAR FOH	9	ETC SOURCE FOUR-5° 750w
249	(209)			NC	FAR FOH	10	ETC SOURCE FOUR-5° 750w
250	(208)			NC	FAR FOH	11	ETC SOURCE FOUR-5° 750w
255	(207)			NC	FAR FOH	14	ETC SOURCE FOUR-5° 750w
256	(206)			NC	FAR FOH	15	ETC SOURCE FOUR-5° 750w
257	(205)			NC	FAR FOH	16	ETC SOURCE FOUR-5° 750w
258	(204)			NC	FAR FOH	17	ETC SOURCE FOUR-5° 750w
259	(203)			NC	FAR FOH	18	ETC SOURCE FOUR-5° 750w
260	(202)			NC	FAR FOH	19	ETC SOURCE FOUR-5° 750w
261	(201)			NC	FAR FOH	20	ETC SOURCE FOUR-5° 750w
262	(24)			L161+ L258	FAR FOH	22	ETC SOURCE FOUR-5° 750w
263	(14)			L136+ L258	FAR FOH	23	ETC SOURCE FOUR-5° 750w
264	(4)			L151+ L258	FAR FOH	24	ETC SOURCE FOUR-5° 750w

Dimmer Hookup

ROYAL THEATRE

Dimmer	Chan	Address	Cir#	Clr & Gb	Position	U#	Instrument Type & Accessories & Load
501	(231)			NC	CIRCLE RAIL	2	ETC SOURCE FOUR-26° 575w
502	(230)			NC	CIRCLE RAIL	3	ETC SOURCE FOUR-26° 575w
503	(226)			NC	CIRCLE RAIL	7	ETC SOURCE FOUR-26° 575w
504	(229)			NC	CIRCLE RAIL	4	ETC SOURCE FOUR-26° 575w
505	(232)			NC	CIRCLE RAIL	1	ETC SOURCE FOUR-26° 575w
506	(228)			NC	CIRCLE RAIL	5	ETC SOURCE FOUR-26° 575w
507	(221)			NC	CIRCLE RAIL	12	ETC SOURCE FOUR-26° 575w
508	(227)			NC	CIRCLE RAIL	6	ETC SOURCE FOUR-26° 575w
509	(224)			NC	CIRCLE RAIL	9	ETC SOURCE FOUR-26° 575w
510	(225)			NC	CIRCLE RAIL	8	ETC SOURCE FOUR-26° 575w
511	(223)			NC	CIRCLE RAIL	10	ETC SOURCE FOUR-26° 575w
512	(222)			NC	CIRCLE RAIL	11	ETC SOURCE FOUR-26° 575w

Dimmer Hookup

ROYAL THEATRE

LETTERED Dimmer

Dimmer	Chan	Address	Cir#	Clr & Gb	Position	U#	Instrument Type & Accessories & Load
Bac	(1004)	UNIVERSE 4/469	Bac	LED	SL BOX	2	ETC Source 4WRD Color II RGBA LED-19° - ARCH+6.25" Half Hat-Short 155w
	"	"	"	"	SR BOX	"	ETC Source 4WRD Color II RGBA LED-19° - ARCH+6.25" Half Hat-Short 150w
Nd					Followspot	1	LYCIAN SUPERARC 400 (1267 Long-Throw) 400w
					"	2	"
N1	(972)	UNIVERSE 3/452	N1	NC	LX # 4	6	Ayrton Eurus TC 900w
	(958)	UNIVERSE 2/204	"	"	"	7	VARILITE VL2600 WASH 550w
N3	(971)	UNIVERSE 3/411	N3	NC	LX # 4	10	Ayrton Eurus TC 900w
	(957)	UNIVERSE 2/175	"	"	"	11	VARILITE VL2600 WASH 550w
N5	(956)	UNIVERSE 2/146	N5	NC	LX # 4	14	VARILITE VL2600 WASH 550w
	(970)	UNIVERSE 3/370	"	"	"	15	Ayrton Eurus TC 900w
N6	(955)	UNIVERSE 2/117	N6	NC	LX # 4	18	VARILITE VL2600 WASH 550w
	(969)	UNIVERSE 3/329	"	"	"	19	Ayrton Eurus TC 900w
N8	(968)	UNIVERSE 3/288	N8	NC	LX # 3	5	Ayrton Eurus TC 900w
N9	(967)	UNIVERSE 3/247	N9	NC	LX # 3	10	Ayrton Eurus TC 900w
N10	(966)	UNIVERSE 3/206	N10	NC	LX # 3	17	Ayrton Eurus TC 900w
N11	(965)	UNIVERSE 3/165	N11	NC	LX # 3	22	Ayrton Eurus TC 900w
N13	(964)	UNIVERSE 3/124	N13	NC	LX # 2	6	Ayrton Eurus TC 900w
	(954)	UNIVERSE 2/88	"	"	"	7	VARILITE VL2600 WASH 550w
N14	(963)	UNIVERSE 3/83	N14	NC	LX # 2	12	Ayrton Eurus TC 900w
	(953)	UNIVERSE 2/59	"	"	"	13	VARILITE VL2600 WASH 550w
N16	(952)	UNIVERSE 2/30	N16	NC	LX # 2	18	VARILITE VL2600 WASH 550w
	(962)	UNIVERSE 3/42	"	"	"	19	Ayrton Eurus TC 900w

Dimmer Hookup

ROYAL THEATRE

LETTERED Dimmer

Dimmer	Chan	Address	Cir#	Clr & Gb	Position	U#	Instrument Type & Accessories & Load
N18	(951)	UNIVERSE 2/1	N18	NC	LX # 2	24	VARILITE VL2600 WASH 550w
	(961)	UNIVERSE 3/1	"	"	"	25	Ayrton Eurus TC 900w
N34			N34		SL LADDER		PSU-08
	(912)	UNIVERSE 4/40	"	NC	"	0.1	AYRTON MISTRAL-TC 450w
	(914)	UNIVERSE 4/118	"	"	"	0.2	"
N35			N35		SR LADDER		PSU-08
	(913)	UNIVERSE 4/1	"	NC	"	0.1	AYRTON MISTRAL-TC 450w
	(911)	UNIVERSE 4/79	"	"	"	0.2	"
N43	(988)	UNIVERSE 5/22	N43	RGB	GROUNDROW	1	COLOR BLAZE 72 420w
	(987)	UNIVERSE 5/19	"	"	"	2	"
	(986)	UNIVERSE 5/16	"	"	"	3	"
	(985)	UNIVERSE 5/13	"	"	"	4	"
N44	(984)	UNIVERSE 5/10	N44	RGB	GROUNDROW	5	COLOR BLAZE 72 420w
	(983)	UNIVERSE 5/7	"	"	"	6	"
	(982)	UNIVERSE 5/4	"	"	"	7	"
	(981)	UNIVERSE 5/1	"	"	"	8	"
N45	(998)	UNIVERSE 7/22	N45	RGB	CYC TRUSS	1	COLOR BLAZE 72 420w
	(997)	UNIVERSE 7/19	"	"	"	2	"
	(996)	UNIVERSE 7/16	"	"	"	3	"
	(995)	UNIVERSE 7/13	"	"	"	4	"

Dimmer Hookup

ROYAL THEATRE

LETTERED Dimmer

Dimmer	Chan	Address	Cir#	Clr & Gb	Position	U#	Instrument Type & Accessories & Load
N46	(994)	UNIVERSE 7/10	N46	RGB	CYC TRUSS	5	COLOR BLAZE 72 420w
	(993)	UNIVERSE 7/7	"	"	"	6	"
	(992)	UNIVERSE 7/4	"	"	"	7	"
	(991)	UNIVERSE 7/1	"	"	"	8	"
N52	(1001)	UNIVERSE 4/451	N52	LED	PROSCENIUM	1	CHROMA-Q COLOR ONE 100 RGBA 52w
	"	"	"	"	"	2	"
	(1003)	UNIVERSE 4/459	"	"	SL BOX FRONT (BOTTOM)	1	ETC Source 4WRD Color II RGBA LED-19° - ARCH+6.25" Half Top hat 155w
	(1002)	UNIVERSE 4/455	"	"	"	3	CHROMA-Q COLOR ONE 100 RGBA+6.25" Half Hat-Short 52w
	(1003)	UNIVERSE 4/459	"	"	SR BOX FRONT (BOTTOM)	1	ETC Source 4WRD Color II RGBA LED-19° - ARCH+6.25" Half Top hat 155w
	(1002)	UNIVERSE 4/455	"	"	"	3	CHROMA-Q COLOR ONE 100 RGBA+6.25" Half Hat-Short 52w
	(1005)	UNIVERSE 4/479	"	"	SL BOX ARCHITECTURE	1	CHROMA-Q COLOR ONE 100 RGBA 52w
	(1006)	UNIVERSE 4/483	"	"	"	2	"
	(1005)	UNIVERSE 4/479	"	"	SR BOX ARCHITECTURE	1	"
	(1006)	UNIVERSE 4/483	"	"	"	2	"

Dimmer Hookup

ROYAL THEATRE

LETTERED Dimmer

Dimmer	Chan	Address	Cir#	Clr & Gb	Position	U#	Instrument Type & Accessories & Load
R1	(82)	UNIVERSE 2/243		R132	LX # 1	1	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
	(102)	UNIVERSE 2/325		"	"	3	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
	(101)	UNIVERSE 2/313		"	"	25	"
	(81)	UNIVERSE 2/233		"	"	27	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
R2	(113)	UNIVERSE 2/427	R2		LX # 1	8	ETC COLORSOURCE V MAX FRESNEL+ Light Acc C Clamp 148w
	(112)	UNIVERSE 2/418	"		"	13	"
	(111)	UNIVERSE 2/409	"		"	20	"
R37	(84)	UNIVERSE 2/263		R132	LX # 2	1	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
	(104)	UNIVERSE 2/349		"	"	3	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
R71	(116)	UNIVERSE 2/454	R71		LX # 2	9	ETC COLORSOURCE V MAX FRESNEL+ Light Acc C Clamp 148w
	(115)	UNIVERSE 2/445	"		"	15	"
	(114)	UNIVERSE 2/436	"		"	22	"
R72	(103)	UNIVERSE 2/337		R132	LX # 2	28	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
	(83)	UNIVERSE 2/253		"	"	30	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
R121	(88)	UNIVERSE 2/303		R132	LX # 4	1	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
	(108)	UNIVERSE 2/397		"	"	3	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w

Dimmer Hookup

ROYAL THEATRE

LETTERED Dimmer

Dimmer	Chan	Address	Cir#	Clr & Gb	Position	U#	Instrument Type & Accessories & Load
R122	(107)	UNIVERSE 2/385		R132	LX # 4	22	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
	(87)	UNIVERSE 2/293		"	"	24	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
R127	(86)	UNIVERSE 2/283		R132	LX # 3	1	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
	(106)	UNIVERSE 2/373		"	"	3	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
R129	(119)		R129		LX # 3	7	ETC COLORSOURCE V MAX FRESNEL+ Light Acc C Clamp 148w
	(118)		"		"	13	"
	(117)	UNIVERSE 2/463	"		"	20	"
R130	(105)	UNIVERSE 2/361	R130	R132	LX # 3	24	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50° 307w
	(85)	UNIVERSE 2/273	"	"	"	26	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50° 130w
R253	(916)	UNIVERSE 1/447	R253	NC	FAR FOH	12	VARILITE VL2600 PROFILE 820w
R254	(915)	UNIVERSE 1/400	R254	NC	FAR FOH	13	VARILITE VL2600 PROFILE 820w

the ROYAL & McPHERSON theatres society

9:48 AM
2025-11-14

Instrument Schedule

ROYAL THEATRE

805 Broughton St.
Victoria, BC V8W 1E5
(250) 361-0800

REVISION: 1
Technical Director: Warren Busby
Paperwork By: Cameron Stewart

TABLE OF CONTENTS

CYC TRUSS 1
LX # 4 2
LX # 3 4
LX # 2 6
LX # 1 8
PROSCENIUM 9
SL BOX FRONT (BOTTOM) 10
SR BOX FRONT (BOTTOM) 10
SL BOX ARCHITECTURE 10
SR BOX ARCHITECTURE 10
SL BOX 11
SR BOX 11
CIRCLE RAIL 12
SL LADDER 13
SR LADDER 15
FAR FOH 17
Followspot 18
DECK USR 18
GROUNDROW 19

Instrument Schedule

ROYAL THEATRE
805 Broughton St.
Victoria, BC V8W 1E5
(250) 361-0800

REVISION: 1
Technical Director: Warren Busby
Paperwork By: Cameron Stewart

CYC TRUSS

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	COLOR BLAZE 72	420w	RGB	CYC TOP	(998)	UNIVERSE 7/22	N45	N45
2	COLOR BLAZE 72	420w	RGB	CYC TOP	(997)	UNIVERSE 7/19	N45	N45
3	COLOR BLAZE 72	420w	RGB	CYC TOP	(996)	UNIVERSE 7/16	N45	N45
4	COLOR BLAZE 72	420w	RGB	CYC TOP	(995)	UNIVERSE 7/13	N45	N45
5	COLOR BLAZE 72	420w	RGB	CYC TOP	(994)	UNIVERSE 7/10	N46	N46
6	COLOR BLAZE 72	420w	RGB	CYC TOP	(993)	UNIVERSE 7/7	N46	N46
7	COLOR BLAZE 72	420w	RGB	CYC TOP	(992)	UNIVERSE 7/4	N46	N46
8	COLOR BLAZE 72	420w	RGB	CYC TOP	(991)	UNIVERSE 7/1	N46	N46

Instrument Schedule

ROYAL THEATRE

LX # 4

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50°	130w	R132	TIP	(88)	UNIVERSE 2/303	R121	
2	ETC SOURCE FOUR-ZOOM 25°-50°	750w	R132	TIP	(98)		99	
3	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50°	307w	R132	TIP	(108)	UNIVERSE 2/397	R121	
4	ETC SOURCE 4WRD LED PAR-XWFL	155w	NC	WORKS	(500)		103	
5	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(188)		98	
6	Ayrton Eurus TC	900w	NC	MOVING LIGHT	(972)	UNIVERSE 3/452	N1	N1
7	VARILITE VL2600 WASH	550w	NC	MOVING LIGHT	(958)	UNIVERSE 2/204	N1	N1
8	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(187)		102	
9	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(186)		104	
10	Ayrton Eurus TC	900w	NC	MOVING LIGHT	(971)	UNIVERSE 3/411	N3	N3
11	VARILITE VL2600 WASH	550w	NC	MOVING LIGHT	(957)	UNIVERSE 2/175	N3	N3
12	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(185)		107	
13	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(184)		110	
14	VARILITE VL2600 WASH	550w	NC	MOVING LIGHT	(956)	UNIVERSE 2/146	N5	N5
15	Ayrton Eurus TC	900w	NC	MOVING LIGHT	(970)	UNIVERSE 3/370	N5	N5
16	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(183)		114	
17	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(182)		115	

Instrument Schedule

LX # 4

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
18	VARILITE VL2600 WASH	550w	NC	MOVING LIGHT	(955)	UNIVERSE 2/117	N6	N6
19	Ayrton Eurus TC	900w	NC	MOVING LIGHT	(969)	UNIVERSE 3/329	N6	N6
20	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(181)		117	
21	ETC SOURCE 4WRD LED PAR-XWFL	155w	NC	WORKS	(500)		120	
22	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50°	307w	R132	TIP	(107)	UNIVERSE 2/385	R122	
23	ETC SOURCE FOUR-ZOOM 25°-50°	750w	R132	TIP	(97)		118	
24	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50°	130w	R132	TIP	(87)	UNIVERSE 2/293	R122	

Instrument Schedule

ROYAL THEATRE

LX # 3

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50°	130w	R132	TIP	(86)	UNIVERSE 2/283	R127	
2	ETC SOURCE FOUR-ZOOM 25°-50°	750w	R132	TIP	(96)		73	
3	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50°	307w	R132	TIP	(106)	UNIVERSE 2/373	R127	
4	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(178)		75	
5	Ayrton Eurus TC	900w	NC	MOVING LIGHT	(968)	UNIVERSE 3/288	N8	N8
6	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(177)		79	
7	ETC COLORSOURCE V MAX FRESNEL+Light Acc C Clamp	148w			(119)		R129	R129
8	ETC SOURCE FOUR-36°	575w	NC	SPEC	(143)		78	
9	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(176)		80	
10	Ayrton Eurus TC	900w	NC	MOVING LIGHT	(967)	UNIVERSE 3/247	N9	N9
11	ETC SOURCE FOUR-36°	575w	NC	SPEC	(142)		82	
12	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(175)		83	
13	ETC COLORSOURCE V MAX FRESNEL+Light Acc C Clamp	148w			(118)		R129	R129
14	ETC SOURCE FOUR-36°	575w	NC	SPEC	(141)		85	
15	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(174)		86	
16	ETC SOURCE FOUR-36°	575w	NC	SPEC	(140)		87	
17	Ayrton Eurus TC	900w	NC	MOVING LIGHT	(966)	UNIVERSE 3/206	N10	N10
18	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(173)		89	
19	ETC SOURCE FOUR-36°	575w	NC	SPEC	(139)		90	

Instrument Schedule

LX # 3

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
20	ETC COLORSOURCE V MAX FRESNEL+Light Acc C Clamp	148w			(117)	UNIVERSE 2/463	R129	R129
21	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(172)		91	
22	Ayrton Eurus TC	900w	NC	MOVING LIGHT	(965)	UNIVERSE 3/165	N11	N11
23	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(171)		94	
24	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50°	307w	R132	TIP	(105)	UNIVERSE 2/361	R130	R130
25	ETC SOURCE FOUR-ZOOM 25°-50°	750w	R132	TIP	(95)		96	
26	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50°	130w	R132	TIP	(85)	UNIVERSE 2/273	R130	R130

Instrument Schedule

ROYAL THEATRE

LX # 2

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50°	130w	R132	TIP	(84)	UNIVERSE 2/263	R37	
2	ETC SOURCE FOUR-ZOOM 25°-50°	750w	R132	TIP	(94)		39	
3	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50°	307w	R132	TIP	(104)	UNIVERSE 2/349	R37	
4	ETC SOURCE 4WRD LED PAR-XWFL	155w	NC	WORKS	(500)		41	
5	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(168)		40	
6	Ayrton Eurus TC	900w	NC	MOVING LIGHT	(964)	UNIVERSE 3/124	N13	N13
7	VARILITE VL2600 WASH	550w	NC	MOVING LIGHT	(954)	UNIVERSE 2/88	N13	N13
8	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(167)		44	
9	ETC COLORSOURCE V MAX FRESNEL+Light Acc C Clamp	148w			(116)	UNIVERSE 2/454	R71	R71
10	ETC SOURCE FOUR-36°	575w	NC	SPEC	(138)		46	
11	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(166)		48	
12	Ayrton Eurus TC	900w	NC	MOVING LIGHT	(963)	UNIVERSE 3/83	N14	N14
13	VARILITE VL2600 WASH	550w	NC	MOVING LIGHT	(953)	UNIVERSE 2/59	N14	N14
14	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(165)		53	
15	ETC COLORSOURCE V MAX FRESNEL+Light Acc C Clamp	148w			(115)	UNIVERSE 2/445	R71	R71
16	ETC SOURCE FOUR-36°	575w	NC	SPEC	(137)	UNIVERSE 1/55	55	
17	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(164)		58	

Instrument Schedule

ROYAL THEATRE

LX # 2

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
18	VARILITE VL2600 WASH	550w	NC	MOVING LIGHT	(952)	UNIVERSE 2/30	N16	N16
19	Ayrton Eurus TC	900w	NC	MOVING LIGHT	(962)	UNIVERSE 3/42	N16	N16
20	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(163)		62	
21	ETC SOURCE FOUR-36°	575w	NC	SPEC	(136)		64	
22	ETC COLORSOURCE V MAX FRESNEL+Light Acc C Clamp	148w			(114)	UNIVERSE 2/436	R71	R71
23	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(162)		65	
24	VARILITE VL2600 WASH	550w	NC	MOVING LIGHT	(951)	UNIVERSE 2/1	N18	N18
25	Ayrton Eurus TC	900w	NC	MOVING LIGHT	(961)	UNIVERSE 3/1	N18	N18
26	ETC SOURCE FOUR PAR-WFL	575w	NC	TOP	(161)		68	
27	ETC SOURCE 4WRD LED PAR-XWFL	155w	NC	WORKS	(500)		69	
28	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50°	307w	R132	TIP	(103)	UNIVERSE 2/337	R72	
29	ETC SOURCE FOUR-ZOOM 25°-50°	750w	R132	TIP	(93)		70	
30	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50°	130w	R132	TIP	(83)	UNIVERSE 2/253	R72	

Instrument Schedule

ROYAL THEATRE

LX # 1

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50°	130w	R132	TIP	(82)	UNIVERSE 2/243	R1	
2	ETC SOURCE FOUR-ZOOM 25°-50°	750w	R132	TIP	(92)		3	
3	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50°	307w	R132	TIP	(102)	UNIVERSE 2/325	R1	
4	ETC SOURCE FOUR PAR-MFL	575w	NC	TOP	(158)		5	
5	VARILITE VL 1000TS	1kW	NC	MOVING LIGHT	(908)	UNIVERSE 1/373	7	N19
6	ETC SOURCE FOUR-36°	575w	NC	SPEC	(135)		8	
7	ETC SOURCE FOUR PAR-MFL	575w	NC	TOP	(157)		9	
8	ETC COLORSOURCE V MAX FRESNEL+Light Acc C Clamp	148w			(113)	UNIVERSE 2/427	R2	R2
9	VARILITE VL 1000TS	1kW	NC	MOVING LIGHT	(908)	UNIVERSE 1/346	13	N20
10	ETC SOURCE FOUR PAR-MFL	575w	NC	TOP	(156)		14	
11	ETC SOURCE FOUR-36°	575w	NC	SPEC	(134)		15	
12	ETC SOURCE FOUR PAR-MFL	575w	NC	TOP	(155)		18	
13	ETC COLORSOURCE V MAX FRESNEL+Light Acc C Clamp	148w			(112)	UNIVERSE 2/418	R2	R2
14	VARILITE VL 1000TS	1kW	NC	MOVING LIGHT	(907)	UNIVERSE 1/319	20	N21
15	ETC SOURCE FOUR-36°	575w	NC	SPEC	(133)		21	
16	ETC SOURCE FOUR PAR-MFL	575w	NC	TOP	(154)		23	
17	ETC SOURCE FOUR-36°	575w	NC	SPEC	(132)		25	
18	ETC SOURCE FOUR PAR-MFL	575w	NC	TOP	(153)		26	

Instrument Schedule

ROYAL THEATRE

LX # 1

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
19	VARILITE VL 1000TS	1kW	NC	MOVING LIGHT	(906)	UNIVERSE 1/292	28	N21
20	ETC COLORSOURCE V MAX FRESNEL+Light Acc C Clamp	148w			(111)	UNIVERSE 2/409	R2	R2
21	ETC SOURCE FOUR PAR-MFL	575w	NC	TOP	(152)		31	
22	ETC SOURCE FOUR-36°	575w	NC	SPEC	(131)		33	
23	VARILITE VL 1000TS	1kW	NC	MOVING LIGHT	(905)	UNIVERSE 1/265	36	N22
24	ETC SOURCE FOUR PAR-MFL	575w	NC	TOP	(151)		4	
25	ETC SOURCE FOUR SERIES 3 LED-ZOOM 25°-50°	307w	R132	TIP	(101)	UNIVERSE 2/313	R1	
26	ETC SOURCE FOUR-ZOOM 25°-50°	750w	R132	TIP	(91)		35	
27	ETC SOURCE FOUR LUSTRplus LED-ZOOM 25°-50°	130w	R132	TIP	(81)	UNIVERSE 2/233	R1	

PROSCENIUM

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	CHROMA-Q COLOR ONE 100 RGBA	52w	LED	PROSCENIUM	(1001)	UNIVERSE 4/451	N52	N52
2	CHROMA-Q COLOR ONE 100 RGBA	52w	LED	PROSCENIUM	(1001)	UNIVERSE 4/451	N52	N52

Instrument Schedule

SL BOX FRONT (BOTTOM)

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	ETC Source 4WRD Color II RGBA LED-19° - ARCH+6.25" Half Top hat	155w	LED	ROSETTE LED	(1003)	UNIVERSE 4/459	N52	N52
3	CHROMA-Q COLOR ONE 100 RGBA+6.25" Half Hat-Short	52w	LED	TORCH	(1002)	UNIVERSE 4/455	N52	N52

SR BOX FRONT (BOTTOM)

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	ETC Source 4WRD Color II RGBA LED-19° - ARCH+6.25" Half Top hat	155w	LED	ROSETTE LED	(1003)	UNIVERSE 4/459	N52	N52
3	CHROMA-Q COLOR ONE 100 RGBA+6.25" Half Hat-Short	52w	LED	TORCH	(1002)	UNIVERSE 4/455	N52	N52

SL BOX ARCHITECTURE

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	CHROMA-Q COLOR ONE 100 RGBA	52w	LED	TORCH	(1005)	UNIVERSE 4/479	N52	N52
2	CHROMA-Q COLOR ONE 100 RGBA	52w	LED	TORCH	(1006)	UNIVERSE 4/483	N52	N52

SR BOX ARCHITECTURE

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	CHROMA-Q COLOR ONE 100 RGBA	52w	LED	TORCH	(1005)	UNIVERSE 4/479	N52	N52
2	CHROMA-Q COLOR ONE 100 RGBA	52w	LED	TORCH	(1006)	UNIVERSE 4/483	N52	N52

Instrument Schedule

SL BOX

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	ETC SOURCE FOUR-19°+6.25" Half Top hat	575w	NC	CONDUCTOR	(199)		201	
2	ETC Source 4WRD Color II RGBA LED-19° - ARCH+6.25" Half Hat-Short	155w	LED	HL LADIES	(1004)	UNIVERSE 4/469	Bac	Bac
3	AYRTON DIABLO - TC	550w	NC	MOVING LIGHT	(902)	UNIVERSE 4/213		N29

SR BOX

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	ETC SOURCE FOUR-19°+6.25" Half Top hat	575w	NC	CONDUCTOR	(199)		205	
2	ETC Source 4WRD Color II RGBA LED-19° - ARCH+6.25" Half Hat-Short	150w	LED	HR LADIES	(1004)	UNIVERSE 4/469	Bac	Bac
3	AYRTON DIABLO - TC	550w	NC	MOVING LIGHT	(901)	UNIVERSE 4/157		N32

Instrument Schedule

CIRCLE RAIL

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	ETC SOURCE FOUR-26°	575w	NC	Special	(232)		505	
2	ETC SOURCE FOUR-26°	575w	NC	Special	(231)		501	
3	ETC SOURCE FOUR-26°	575w	NC	Special	(230)		502	
4	ETC SOURCE FOUR-26°	575w	NC	Special	(229)		504	
5	ETC SOURCE FOUR-26°	575w	NC	Special	(228)		506	
6	ETC SOURCE FOUR-26°	575w	NC	Special	(227)		508	
7	ETC SOURCE FOUR-26°	575w	NC	Special	(226)		503	
8	ETC SOURCE FOUR-26°	575w	NC	Special	(225)		510	
9	ETC SOURCE FOUR-26°	575w	NC	Special	(224)		509	
10	ETC SOURCE FOUR-26°	575w	NC	Special	(223)		511	
11	ETC SOURCE FOUR-26°	575w	NC	Special	(222)		512	
12	ETC SOURCE FOUR-26°	575w	NC	Special	(221)		507	

Instrument Schedule

ROYAL THEATRE

SL LADDER

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
	PSU-08			SCROLLER PSU			N34	N34
0.1	AYRTON MISTRAL-TC	450w	NC	FOH MOVING LIGHT	(912)	UNIVERSE 4/40	N34	N34
0.2	AYRTON MISTRAL-TC	450w	NC	FOH MOVING LIGHT	(914)	UNIVERSE 4/118	N34	N34
1	ETC SOURCE FOUR-10°+12" Top Hat	750w	L151+ L258	SR	(1)		223	
2	ETC SOURCE FOUR-10°+12" Top Hat	750w	L151+ L258	C	(2)		224	
3	ETC SOURCE FOUR-10°+12" Top Hat	750w	L136+ L258	SR	(11)		221	
4	ETC SOURCE FOUR-10°+12" Top Hat	750w	L136+ L258	C	(12)		222	
5	ETC SOURCE FOUR-10°+12" Top Hat	750w	L161+ L258	SR	(21)		219	
6	ETC SOURCE FOUR-10°+12" Top Hat	750w	L161+ L258	C	(22)		220	
7	ETC SOURCE FOUR-14°	575w		SR	(31)		217	
8	ETC SOURCE FOUR-10°+12" Top Hat	750w	L202+ L258	SR	(41)		218	
8.1	CHROMA-Q3		L258+ HS		(31)	UNIVERSE 4/491		
9	ETC SOURCE FOUR-14°	575w		C	(32)		215	
10	ETC SOURCE FOUR-10°+12" Top Hat	750w	L202+ L258	C	(42)		216	
10.1	CHROMA-Q3		L258+ HS		(32)	UNIVERSE 4/492		

Instrument Schedule

SL LADDER

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
11	ETC SOURCE FOUR-14°	575w		SL	(33)		213	
12	ETC SOURCE FOUR-10°+12" Top Hat	750w	L202+ L258	SL	(43)		214	
12.1	CHROMA-Q3		L258+ HS		(33)	UNIVERSE 4/493		
13	ETC SOURCE FOUR-10°+12" Top Hat	750w	NC	DC	(192)		211	
14	ETC SOURCE FOUR-10°+12" Top Hat	750w	NC	DDL	(194)		212	
15	ETC SOURCE FOUR-26°	575w	L151+ R132	DRAPE	(198)		210	
16	ETC SOURCE FOUR-26°	575w	L151+ R132	DRAPE	(198)		210	
17	AYRTON DIABLO - TC	550w		MOVING LIGHT	(904)	UNIVERSE 4/325		N33

Instrument Schedule

ROYAL THEATRE

SR LADDER

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
	PSU-08			SCROLLER PSU			N35	N35
0.1	AYRTON MISTRAL-TC	450w	NC	FOH MOVING LIGHT	(913)	UNIVERSE 4/1	N35	N35
0.2	AYRTON MISTRAL-TC	450w	NC	FOH MOVING LIGHT	(911)	UNIVERSE 4/79	N35	N35
1	ETC SOURCE FOUR-10°+12" Top Hat	750w	L151+ L258	SL	(6)		239	
2	ETC SOURCE FOUR-10°+12" Top Hat	750w	L151+ L258	C	(5)		240	
3	ETC SOURCE FOUR-10°+12" Top Hat	750w	L136+ L258	SL	(16)		237	
4	ETC SOURCE FOUR-10°+12" Top Hat	750w	L136+ L258	C	(15)		238	
5	ETC SOURCE FOUR-10°+12" Top Hat	750w	L161+ L258	SL	(26)		235	
6	ETC SOURCE FOUR-10°+12" Top Hat	750w	L161+ L258	C	(25)		236	
7	ETC SOURCE FOUR-14°	575w		SL	(36)		233	
8	ETC SOURCE FOUR-10°+12" Top Hat	750w	L202+ L258	SL	(46)		234	
8.1	CHROMA-Q3		R132		(36)	UNIVERSE 4/496		
9	ETC SOURCE FOUR-14°	575w		C	(35)		231	
10	ETC SOURCE FOUR-10°+12" Top Hat	750w	L202+ L258	C	(45)		232	
10.1	CHROMA-Q3		L258+ HS		(35)	UNIVERSE 4/495		
11	ETC SOURCE FOUR-14°	575w		SR	(34)		229	

Instrument Schedule

SR LADDER

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
12	ETC SOURCE FOUR-10°+12" Top Hat	750w	L202+ L258	SR	(44)		230	
12.1	CHROMA-Q3		L258+ HS		(34)	UNIVERSE 4/494		
13	ETC SOURCE FOUR-10°+12" Top Hat	750w	NC	DC	(193)		227	
14	ETC SOURCE FOUR-10°+12" Top Hat	750w	NC	DDR	(191)		228	
15	ETC SOURCE FOUR-26°	575w	L151+ R132	DRAPE	(198)		226	
16	ETC SOURCE FOUR-26°	575w	L151+ R132	DRAPE	(198)		226	
17	AYRTON DIABLO - TC	550w	NC	MOVING LIGHT	(903)	UNIVERSE 4/269		N36

Instrument Schedule

FAR FOH

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	ETC SOURCE FOUR-5°	750w	L151+ L258	FRONT SL	(3)		241	
2	ETC SOURCE FOUR-5°	750w	L136+ L258	FRONT SL	(13)		242	
3	ETC SOURCE FOUR-5°	750w	L161+ L258	FRONT SL	(23)		243	
5	ETC SOURCE FOUR-5°	750w	NC	Special	(214)		244	
6	ETC SOURCE FOUR-5°	750w	NC	Special	(213)		245	
7	ETC SOURCE FOUR-5°	750w	NC	Special	(212)		246	
8	ETC SOURCE FOUR-5°	750w	NC	Special	(211)		247	
9	ETC SOURCE FOUR-5°	750w	NC	Special	(210)		248	
10	ETC SOURCE FOUR-5°	750w	NC	Special	(209)		249	
11	ETC SOURCE FOUR-5°	750w	NC	Special	(208)		250	
12	VARILITE VL2600 PROFILE	820w	NC	MOVING LIGHT	(916)	UNIVERSE 1/447	R253	R253
13	VARILITE VL2600 PROFILE	820w	NC	MOVING LIGHT	(915)	UNIVERSE 1/400	R254	R254
14	ETC SOURCE FOUR-5°	750w	NC	Special	(207)		255	
15	ETC SOURCE FOUR-5°	750w	NC	Special	(206)		256	
16	ETC SOURCE FOUR-5°	750w	NC	Special	(205)		257	
17	ETC SOURCE FOUR-5°	750w	NC	Special	(204)		258	
18	ETC SOURCE FOUR-5°	750w	NC	Special	(203)		259	
19	ETC SOURCE FOUR-5°	750w	NC	Special	(202)		260	
20	ETC SOURCE FOUR-5°	750w	NC	Special	(201)		261	

Instrument Schedule

FAR FOH

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
22	ETC SOURCE FOUR-5°	750w	L161+ L258	FRONT SR	(24)		262	
23	ETC SOURCE FOUR-5°	750w	L136+ L258	FRONT SR	(14)		263	
24	ETC SOURCE FOUR-5°	750w	L151+ L258	FRONT SR	(4)		264	

Followspot

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	LYCIAN SUPERARC 400 (1267 Long-Throw)	400w		FOLLOW SPOT			Nd	
2	LYCIAN SUPERARC 400 (1267 Long-Throw)	400w		FOLLOW SPOT			Nd	

DECK USR

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	MDG Fog/Haze			ATMOSPHERICS	(1000)	UNIVERSE 8/508		

Instrument Schedule

ROYAL THEATRE

GROUNDROW

U#	Instrument Type & Accessories	Load	Clr & Gbo	Purpose	Chan	Address	Dim	Cir#
1	COLOR BLAZE 72	420w	RGB	CYC GROUND ROW	(988)	UNIVERSE 5/22	N43	N43
2	COLOR BLAZE 72	420w	RGB	CYC GROUND ROW	(987)	UNIVERSE 5/19	N43	N43
3	COLOR BLAZE 72	420w	RGB	CYC GROUND ROW	(986)	UNIVERSE 5/16	N43	N43
4	COLOR BLAZE 72	420w	RGB	CYC GROUND ROW	(985)	UNIVERSE 5/13	N43	N43
5	COLOR BLAZE 72	420w	RGB	CYC GROUND ROW	(984)	UNIVERSE 5/10	N44	N44
6	COLOR BLAZE 72	420w	RGB	CYC GROUND ROW	(983)	UNIVERSE 5/7	N44	N44
7	COLOR BLAZE 72	420w	RGB	CYC GROUND ROW	(982)	UNIVERSE 5/4	N44	N44
8	COLOR BLAZE 72	420w	RGB	CYC GROUND ROW	(981)	UNIVERSE 5/1	N44	N44

Color Count

ROYAL THEATRE
805 Broughton St.
Victoria, BC V8W 1E5
(250) 361-0800

REVISION: 1
Technical Director: Warren Busby
Paperwork By: Cameron Stewart

COLOR COUNT

Framed Color

LX # 4

R132

S4 7.5" size, 7.5" X 7.5"	6 frames
Total:	6 frames

LX # 3

R132

S4 7.5" size, 7.5" X 7.5"	6 frames
Total:	6 frames

LX # 2

R132

S4 7.5" size, 7.5" X 7.5"	6 frames
Total:	6 frames

LX # 1

R132

S4 7.5" size, 7.5" X 7.5"	6 frames
Total:	6 frames

Color Count

ROYAL THEATRE

SL LADDER

L258+HS

CHROMA-Q3	3 frames
Total:	3 frames

L151+R132

S4 6.25" size, 6.25" X 6.25"	2 frames
Total:	2 frames

L161+L258

S4 12" size, 12" X 12"	2 frames
Total:	2 frames

L136+L258

S4 12" size, 12" X 12"	2 frames
Total:	2 frames

L151+L258

S4 12" size, 12" X 12"	2 frames
Total:	2 frames

L202+L258

S4 12" size, 12" X 12"	3 frames
Total:	3 frames

SR LADDER

L258+HS

CHROMA-Q3	2 frames
Total:	2 frames

Color Count

ROYAL THEATRE

SR LADDER (continued)

R132

CHROMA-Q3	1 frame
Total:	1 frame

L151+R132

S4 6.25" size, 6.25" X 6.25"	2 frames
Total:	2 frames

L161+L258

S4 12" size, 12" X 12"	2 frames
Total:	2 frames

L136+L258

S4 12" size, 12" X 12"	2 frames
Total:	2 frames

L151+L258

S4 12" size, 12" X 12"	2 frames
Total:	2 frames

L202+L258

S4 12" size, 12" X 12"	3 frames
Total:	3 frames

FAR FOH

L161+L258

S4 14" size, 14" X 14"	2 frames
Total:	2 frames

Color Count

ROYAL THEATRE

FAR FOH (continued)

L136+L258

S4 14" size, 14" X 14"	2 frames
Total:	2 frames

L151+L258

S4 14" size, 14" X 14"	2 frames
Total:	2 frames